


# Jekyll 27.5 (2018-2019)

CARBON / ALLOY

Item	Specification
Rear Travel	Flow Mode: 165 mm, Hustle Mode: 130 mm
Head Tube	UPR: 1 -1/8 in, LWR: 1-1/2 in
Headset	FSA Orbit C-40-ACB w/ 9.1 mm stack
Bottom Bracket: Type/ Width	CRB: PF30 / 83 mm, ALLY: BB30 / 83 mm
Front Derailleur	N/A
Seat Post: Dia./Binder	31.6 mm / 34.9 mm
▲ Min. Seat Post Insert	100 mm
▲ Tire Size x Max. Width	27.5 in x 2.5 in (measured)
▲ Max. Fork Length	CRB: 565 mm, ALLY: 565 mm
Rear Shock: Eye-To-Eye / Stroke / Bushing Width	230 mm / 60 mm / FT: 30 x 8 mm, RR: 30 x 8 mm

Sag	30%, 18 mm
Chain Guide	ISCG 05
Rear Brake: Mount Type / Min/Max Rotor Dia.	Flat Mount / 160 mm / 180 mm
Rear Axle: Type/Length	Maxle TA /148 x 12 mm, 180 mm length
Ai Offset:	Rear Wheel: 3mm Offset to NDS, SRAM Chaining: +6 mm Offset Hollowgram SpideRing: Ai Offset
▲ Intended Use	ASTM CONDITION 4, All-Mountain
▲ Max. Weight Limit Total (rider+all equipment):	305 lbs / 138 kg




ID	Part Number	Description	CRB	ALLY
A	CK3157U00OS	Jekyll Pivot HDWE	✓	✓
B	CK3167U00OS	Jekyll Pivot BRGS	✓	✓
C	CK3207U00OS	Jekyll CRB Shock MNT HDWE	✓	
	K36018	AL Frame Shock MNT HDWE		✓
D	CK3187U00OS	Jekyll/Trigger Grommets	✓	✓
E	KP388/	Seatbinder MTN 34.9	✓	✓
F	KP436/	Modular CBL Guides HT DT BB	✓	

ID	Part Number	Description	CRB	ALLY
H	K34088SM	Jekyll CRB DT Protector, SM	✓	
	K34088MD	Jekyll CRB DT Protector, MD	✓	
	K34088LG	Jekyll CRB DT Protector, LG	✓	
	K34088XL	Jekyll CRB DT Protector, XL	✓	
	K34008	Jekyll ALLY DT Protector, All sizes		✓
I	CK9017U00OS	17x30 Bearing Tool	✓	✓
K	CK3217U00OS	Jekyll ALLY CSTAY Protector		✓
L	CK3197U00OS	Jekyll CRB CSTAY Protector	✓	

# Jekyll 27.5 (2018-2019)

CARBON / ALLOY



See **LOCKR** for instructions.

ID	Part Number	Description	CRB	ALLY
M	K34078	Jekyll CRB Chainsuck Protector	✓	
N	K36129	Jekyll Suspension Link 27.5 BLK	✓	✓
O	K34068	Jekyll CRB CS Heel Rub GRDS	✓	
	K34058	Jekyll ALLY CS Heel Rub GRDS		✓


ID	Part Number	Description	CRB	ALLY
P	KP421/160	Brake MNT Flat 160 mm	✓	✓
	KP421/180	Brake MNT Flat 180 mm	✓	✓
W	CK3257U00OS	RD HGR TA ST SS 015	✓	✓
R	KP197/SRM	PF30 BB Cups And Bearings	✓	
S	KB6180/	BB30 Bearing Blue (QTY 2)	✓	✓
T	K22037	BB30 Bearing Blue (QTY 24)	✓	✓
--	QC616/	Circlips BB Si (QTY 2)		✓

# Jekyll 29 (2019)

CARBON

Item	Specification
Rear Travel	Flow Mode: 150 mm Hustle Mode: 120 mm
Head Tube	UPR: 1 -1/8 in, LWR: 1-1/2 in
Headset	FSA Orbit C-40-ACB w/ 9.1 mm stack
Bottom Bracket: Type/ Width	PF30 / 83 mm
Front Derailleur	N/A
Seat Post: Dia./Binder	31.6 mm / 34.9 mm
▲ Min. Seat Post Insert	100 mm
▲ Tire Size x Max. Width	29 in x 2.5 in (measured)
▲ Max. Fork Length	565 mm

Rear Shock: Eye-To-Eye / Stroke / Bushing Width	230 mm / 60 mm / FT: 30 x 8 mm, RR: 30 x 8 mm
Sag	30%, 18 mm
Chain Guide	ISCG 05
Rear Brake: Mount Type / Min/Max Rotor Dia	Flat Mount / 160 mm / 180 mm
Rear Axle: Type/Length	Maxle TA / 148 x 12 mm, 180 mm length
Ai Offset:	Rear Wheel: 3 mm Offset to NDS SRAM Chaining: +6 mm Offset Hollowgram SpideRing: Ai Offset
▲ Intended Use	ASTM CONDITION 4, All-Mountain
▲ Max. Weight Limit Total (rider+all equipment):	305 lbs / 138 kg




ID	Part Number	Description
A	CK3157U00OS	Jekyll Pivot HDWE
B	CK3167U00OS	Jekyll Pivot BRGS
C	CK3207U00OS	Jekyll CRB Shock Mount HDWE
D	K36119	Jekyll Suspension Link 29 BLK
E	CK3257U00OS	Derailleur Hanger TA ST SS 015
F	CK3217U00OS	Jekyll Ai Chain Stay Protector

ID	Part Number	Description
G	K34058	Jekyll/Trigger Alloy CS Heel Rub Guard
I	KP421/160	Brake MNT Flat 160 mm
	KP421/180	Brake MNT Flat 180 mm

# Jekyll 29 (2019)

CARBON



See **LOKR** for instructions.

ID	Part Number	Description
P	CK3187U00OS	Jekyll/Trigger Grommets
M	KP388/	Seatbinder MTN 34.9
H	KP436/	Modular CBL Guides HT DT BB
K	CK9017U00OS	17x30 Bearing Tool

ID	Part Number	Description
L	K34088SM	Jekyll CRB DT Protector, SM
	K34088MD	Jekyll CRB DT Protector, MD
	K34088LG	Jekyll CRB DT Protector, LG
	K34088XL	Jekyll CRB DT Protector, XL
R	KP197/SRM	PF30 BB Cups And Bearings
S	KB6180/	BB30 Bearing Blue (QTY 2)
T	K22037	BB30 Bearing Blue (QTY 24)